

Notice of Allowability	Application No.	Applicant(s)
	10/527,305	SAITOH, JUNICHI
	Examiner	Art Unit
	James Phan	2872
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO/SR/08)	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendr	(PTO-413), re
<ul> <li>3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> <li>4. Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	_	ent of Reasons for Allowance

Art Unit: 2872

#### **DETAILED ACTION**

## Information Disclosure Statement

The references cited in the Search Report submitted on 3/9/05 have been considered, but will not be listed on any patent resulting from this application because they were not provided on a separate list in compliance with 37 CFR 1.98(a)(1). In order to have the references printed on such resulting patent, a separate listing, preferably on a PTO/SB08A and 08B form, must be filed within ONE MONTH of the mailing date of this communication. NO EXTENSION OF TIME WILL BE GRANTED UNDER EITHER 37 CFR 1.136(a) OR (b) to comply with this requirement.

## **Prior Art Cited**

Each of Nakayama and Crone et al discloses a reflector having a supporting body and a reflection sheet.

### **Drawings**

The drawings filed 3/9/05 are acceptable.

# Allowable Subject Matter

Claims 1-5 are allowed.

The following is an examiner's statement of reasons for allowance: none of the cited references teaches or fairly suggests a reflector having the structure defined in claim 1. The Nakayama's reflector comprising a supporting body which has a base having a surface and a plurality of projections having a sloping surface sloping with respect to the surface of the base, and a reflection sheet disposed on the supporting body; however, Nakayama fails to disclose a sloping section of the reflection sheet is

Application/Control Number: 10/527,305 Page 3

Art Unit: 2872

separated from the other section and the peripheral section of the projection (claim 1, last three lines) as set forth in the claimed combination.

Claims 2-5 are dependent claims and thus allowable at least for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Phan whose telephone number is (571) 272-2317. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn can be reached on (571) 272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/527,305

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Afuncal Phan Drimary Examiner Art Unit 2872

Page 4

JP

Sept. 2006